

PRE-APPEAL BRIEF REQUEST FOR RE Mail Stop AF Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450	Application 10/644,95	Q76963 Number		
Commissioner for Patents				
Commissioner for Patents	10/644,95		Filed	
Commissioner for Patents		33	August 21, 2003	
	First Name		1.1	
	Takayuki ARAKI			
	Art Unit		Examiner	
	1713		Henry S. Hu	
washington office 23373 customer number				
Applicant requests review of the final rejection in the amendments are being filed with this request.	he above-iden	tified applic	cation. No	
This request is being filed with a notice of appeal				
The review is requested for the reasons(s) stated on Note: No more than five (5) pages may be provided I am an attorney or agent of record.				
Registration number 33,276		OSL		
	Signature			
			G	
		Abraham J. Rosner		
		Typed of	r printed name	
		(202) 293-7060		
		Teleph	none number	
		Octob	per 20, 2006	
			Date	



PATENT APPLICATION

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of

Docket No: Q76963

Takayuki ARAKI, et al.

Appln. No.: 10/644,953

Group Art Unit: 1713

Confirmation No.: 6799 Examiner:

Examiner: Henry S. Hu

Filed: August 21, 2003

For: FLUORINE-CONTAINING ETHYLENIC MONOMER HAVING HYDROXYL GROUP

OR FLUOROALKYL CARBONYL FROUP AND FLUORINE-CONTAINING

POLYMER PREPARED BY POLYMERIZATION OF SAME

PRE-APPEAL BRIEF REQUEST FOR REVIEW

MAIL STOP AF - PATENTS

Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

Sir:

Pursuant to the new Pre-Appeal Brief Conference Pilot Program, and further to the Examiner's Final Office Action dated June 20, 2006, Appellants file this Pre-Appeal Brief Request for Review, accompanied by the filing of a Notice of Appeal and a Petition and payment for an Extension of Time. Claims 1, 2, 5, 7, 9 and 10 stand rejected under 35 U.S.C. § 103(a) as being unpatentable over U.S. Patent No. 3,444,148 to Adelman or JP 5-238988 to Inomata et al. (JP '988) each individually in view of U.S. Patent No. 5,986,150 to Araki et al. for reasons of record.

The present invention is directed to a fluorine-containing ethylenic monomer having hydroxyl group represented by formula (1a):

wherein X^1 and X^2 are the same or different and each is H or F; X^3 is H, F, Cl or CF₃ (at least one of X^1 , X^2 and X^3 is H and X^1 , X^2 and X^3 are not H at the same time); Rf¹ and Rf² are the same or different and each is a perfluoroalkyl group; Rf³ is a fluorine-containing alkylene group

or a fluorine-containing alkylene group having ether bond; and a is 0 or 1. The elected Species is Species (2), where a = 1, $X^1 = X^2 = H$; and $X^3 = F$.

A. Difference in Structure:

As acknowledged by the Examiner, the perfluorinated tertiary alcohol-containing monomers of Adelman and JP '988 differ from the claimed fluorine-containing ethylenic monomer having hydroxyl in that the carbon atom at the 3-position (relative to the double bond) is unsubstituted, whereas, in the elected species where a=1, Rf³ is a fluorine-containing alkylene group having 1 to 40 carbon atoms or a fluorine-containing alkylene group having ether bond.

B. No Interchangeability:

The Examiner cited Araki et al as teaching bivalent groups with either perfluorinated alkylene or perfluorinated oxyalkylene relative to the 3-position corresponding to bivalent Rf³ of present claim 1. The monomer of formula (I) at column 6, line 19 of Araki et al has a fluorinated 3-position, but is missing a tertiary fluoroalcohol group. The compound at column 7, line 40 has a tertiary fluoroalcohol group, but is missing fluorinated Rf³ at the 3-position. The Examiner further maintained that Araki et al teaches that CH₂=CH-Y- and CH₂=CF-Y- type moieties are functionally equivalent, where the linking group Y can be fluorinated or non-fluorinated, citing various passages at columns 6, 13 and 15.

Appellants respectfully dispute the Examiner conclusion of interchangeability. Namely, the "Y" group referred to by the Examiner, at the 3-position, is always fluorinated C as shown in claim 1 of Araki et al.

On the other hand, the hemi-acetal compound of JP-A-143888/1975 at column 7, lines 36-49 (where the carbon at the 3-position is not substituted) is <u>not</u> a compound of Araki et al. This is because the fluorine-containing olefin of Araki et al. (claim 1) has X^2 being a primary alcohol group or an epoxide-containing moiety. Consequently, there is no disclosure linking $CH_2=CF-Y$ - with the compound of JP-A-143888/1975.

(i) No Motivation to Combine Adelman and Araki et al.:

The polyfluorinated tertiary alcohol monomer having CH₂=CH-CH₂- unit according to Adelman is copolymerized to prepare a copolymer having enhanced compatibility with

acrylonitrile and dyeability by the presence of fluoroalcohol, but <u>not</u> by the presence of a CH=CF- unit. Without first consulting the disclosure in the present specification, Appellants cannot understand how one skilled in the art could substitute the CH₂=CF-Y- of Araki et al. (related to providing molded articles) for CH₂=CH-CH₂- in Adel '988.

(ii) No Motivation to Combine JP '988 and Araki et al.:

The objective of JP '988 is to provide a novel fluorine-containing organic compound represented by formula (1) reproduced below and having, in one molecule, acryloxly or methacryloxyl, vinyl and trifluoromethyl.

$$CH_{2} = CH + CH_{2} + \sum_{i} CF_{i} = 0$$

$$C - 0 - C - C = CH_{2}$$

$$CF_{3} = R$$
(1)

The object of JP '988 is to provide a compound useful for improving water repellency and also as an intermediate for carbon functional silanes by introducing trifluoromethyl. However, without first consulting the disclosure in the present specification, Appellants cannot understand how one skilled in the art could substitute the CH₂=CF-Y- of Araki et al. (related to providing molded articles) for CH₂=CH-(CH₂)_n- in the monomer of JPConsequently, there is no disclosure linking CH₂=CF-Y- with the compound of JP-A-143888/1975.

Thus, Araki et al. does not teach that CH₂=CH-Y- and CH₂=CF-Y- type moieties are functionally equivalent or interchangeable, and therefore also does not teach or suggest substitution of CH₂=CF-Rf- in the corresponding portions of the compounds of Adelman or JP '988.

C. <u>Unexpected Results as a Basis for Patentability</u>:

Experimental Example 3 at pages 87-89 of the specification evaluates solubility in a developing solution. Particularly, 10 % butyl acetate solutions of the fluorine-containing polymers obtained in Example 2 and Preparation Examples 2 to 4 were prepared and coated on a Si substrate to a thickness of 200 nm followed by drying. Solubility was evaluated after dipping the dried Si substrate in a tetramethyl ammonium hydroxide aqueous solution, the results of which are set forth in Table 1 at page 89 of the specification.

The first compound in Table 1 is a compound of the invention, which is the combination of the CH₂=CF-(Rf₃)a- moiety with a tertiary fluoroalcohol. So is the third compound in Table 1. The compounds of the invention exhibited excellent solubility and the subject films were dissolved with no remaining film, evaluated as "O". On the other hand, the second compound CH₂=CFCF₂OCF(CF₃)CF₂OCF(CF₃)CH₂OH in Table 1 is a compound representative of Araki (CH₂=CF-Rf³_a- moiety, but <u>no</u> tertiary fluoroalcohol group), and the fifth compound CH₂=CHCH₂C(CF₃)₂OH in Table 1 is a compound representative of Adelman (tertiary fluoroalcohol, but no CH₂=CF-Rf³_a- moiety).

As shown in Table 1, the polymer of the second compound (Araki et al.) was <u>not</u> dissolved in the developing solution (evaluated as "X"), and a polymer of the fifth compound (Adelman) left a residue (evaluated as " Δ ") when treated with the developing solution. The above-noted results (reproduced below) are unexpectedly superior over the prior art relied upon by the Examiner (combination of CH2=CF-Rf $_a$ - moiety and tertiary fluoroalcohol group).

TA	BLE	1
		-

Fluorine-containing ethylenic monomer having OH	Model structure	Monomer	ΔH Exp. Ex. 1	Measured pKa Exp. Ex. 2	Solubility of polymer in a developing solution Exp. Ex. 3
C ₂ F ₅ CH ₂ =CFCF ₂ OCFCF ₂ OCFCOH CF ₃ CF ₃ C ₂ F ₅	C ₂ F ₅ HCF ₂ OCFCOH CF ₃ C ₂ F ₅	Ex. 1	-15.8	6.8	O (Ex. 2)
CH₂CFCF₂OCFCF₂OCFCH₂OH CF₃ CF₃	HCF ₂ OCFCH ₂ OH CF ₃	_	122.3	12.6	× (not dissolved) (Prep. Ex. 2)
CH ₂ =CFC(CF ₃) ₂ OH	-	Ex. 4	38.7	8.0	O (Ex. 5)
CF ₂ =CFC(CF ₃) ₂ OH	-	Prep. Ex.	10.5	7.1	_
CH ₂ =CHCH ₂ C(CF ₃) ₂ OH	-	-	76.2	9.6	△ (a residue found)

As discussed above, Appellants believe that Araki et al. does <u>not</u> teach interchangeability of CH₂=CH-Y- and CH₂=CF-Y- moieties, such that there is no motivation to combine

PRE-APPEAL BRIEF REQUEST FOR REVIEW U.S. Application No. 10/644,953

Attorney Docket No. Q76963

CH₂=CF-Rf- taught by Araki et al. with the fluorinated tertiary alcohol of either of the primary references. However, to the extent that the Examiner considers the references as establishing a prima facie case of obviousness, Appellants point to the above-noted results as set forth in Table 1 of their specification as demonstrating the unexpected superiority of their invention.

In response to the Examiner's comment, there is no requirement to recite "unexpected results" relied upon as a basis for patentability. Also, the test data presented in Table 1 of the specification clearly shows criticality in the combination of the CH₂=CF(Rf³)a- moiety with a tertiary fluoroalcohol.

Accordingly, it is respectfully submitted that the claims on appeal are patentable over the cited prior art, and Appellants respectfully request withdrawal of the foregoing rejection.

Respectfully submitted,

Abraham J. Rosner

Registration No. 33,276

SUGHRUE MION, PLLC

Telephone: (202) 293-7060

Facsimile: (202) 293-7860

WASHINGTON OFFICE 23373

CUSTOMER NUMBER

Date: October 20, 2006